

MIC ENVIRONMENTAL SCIENCES (CO./DIV./DEPT/LOCATION)

SPECIAL STUDY REPORT (TYPE OF REPORT)

47

REPORT NO.:

ES-80-SS-24

JOB/PROJECT NO .:

43-000-760.26-8623045

Transfer to 02-003-913.41-610

DATE:

October 28, 1980

TITLE:

MEASUREMENT OF SELECTED CHEMICALS IN SOIL FROM THE

DEAD CREEK SITE - ILLINOIS EPA SPLIT SAMPLES

AUTHORS:

Robert G. Kaley, II

CONTRIBUTORS:

D. Guerry O. Hicks

R. G. Hord

ABSTRACT:

Three sediment samples and one well water sample were taken on October 2, 1980 by Monsanto and IEPA representatives. The Monsanto samples were transferred to our laboratory and analyzed for polychlorinated biphenyls, elemental phosphorus, chlorobenzenes, chlorophenols, phosphate esters, and metals (including arsenic and

inorganic phosphorus). No elemental phosphorus was detected in any of the samples, which implies that phosphorus is not responsible for the "smoking earth" reported at the site. In addition, no organic chemicals were detected above the detection limits in the well water sample. However, varying amounts of the organic chemicals and metals were measured in the soil samples. One sample contained higher levels of polychlorinated biphenyls and other organic compounds, while the other two samples contained higher levels of metals. The results clearly indicate non-

uniform contamination at the Dead Creek site.

DISTRIBUTION:

1111083

D. R. Bishop - A3NB

R. G. Hord - T2B

C. F. Callis - B3CA J. H. Craddock - G3WA R. G. Kaley - N3A J. P. Mieure - N3A

D. Guerry - T2B

B. Papageorge - G4WA

P. E. Heisler - 1740

1. Sinise = 1740

O. Hicks - NIE

R. L. Wasson - R2E

ONFIDEN OMPANY C

This document is the property of Monsanto Company and the recipient is responsible for its safekeeping and disposition. It contains CONFIDENTIAL INFORMATION which must not be reproduced, revealed to unauthorized persons or sent outside the Company without proper authorization.

ES-80-SS-24 AUTHORS: REPT. NO.: COPY NO.:

WGK

TITLE:

MEASUREMENT OF SELECTED CHEMICALS IN SOIL FROM THE DEAD CREEK SITE

ILLINOIS EPA SPLIT SAMPLES

R. G. Kaley, II

R 1048/A1

MEASUREMENT OF SELECTED CHEMICALS IN SOIL FROM THE DEAD CREEK SITE ILLINOIS EPA SPLIT SAMPLES

INTRODUCTION

Following media reports and subsequent Illinois EPA concern about hazardous chemicals at the Dead Creek site near Sauget, Illinois, personnel from Monsanto's W. G. Krummrich Plant and the Illinois EPA sampled several areas at the site and split the samples. The Monsanto samples were submitted to Environmental Sciences for characterization. Monsanto's concerns about the site arose from reports of high levels of polychlorinated biphenyls and phosphorus, as well as the reported presence of other chemicals, and the proximity of the site to the Krummrich Plant. These samples were taken to give both Monsanto and the Illinois EPA opportunity to confirm the reported levels found in earlier samplings by the Illinois EPA. In addition to polychlorinated biphenyls and phosphorus, several other "families" of chemicals were measured to try to identify or eliminate possible sources of the chemicals at the site.

SUMMARY

Three sediment samples and one well water sample were taken on October 2, 1980 by Monsanto and IEPA representatives. The Monsanto samples were transferred to our laboratory and analyzed for polychlorinated biphenyls, elemental phosphorus, chlorobenzenes, chlorophenols, phosphate esters, and metals (including arsenic and inorganic phosphorus). No elemental phosphorus was detected in any of the samples, which implies that phosphorus is not responsible for the "smoking earth" reported at the site. In addition, no organic chemicals were detected above the detection limits in the well water sample. However, varying amounts of the organic chemicals and metals were measured in the soil samples. One sample contained higher levels of polychlorinated biphenyls and other organic compounds, while the other two samples contained higher levels of metals. The results clearly indicate non-uniform contamination at the Dead Creek site.

DETAILS

Sampling

The three soil and one water samples were collected by Monsanto W. G. Krummrich plant personnel and IEPA personnel and split at the site. The Monsanto samples were transferred to the Environmental Analysis Group. In our laboratory, the sediment samples were handled according to Standard Operating Procedure (SOP) EAN-80-SOP-6, Homogenizing, Subdividing and Preserving Sediment Samples. Portions of the soil samples were transferred to Applied Sciences for the determination of metals and arsenic.

Analytical Procedures

The three soil samples were analyzed for a variety of chemicals using established procedures or methods developed and validated for the chemicals of interest in soil. The following list tabulates the methods which were used.

Analyte	Method No.	Title
Polychlorinated Biphenyls	ES-80-M-28	Determination of Polychlorinated Biphenyls in Soil and Sediment
Chlorinated Benzenes	ES-80-M-29	Determination of Chlorinated Benzenes in Soil and Sediment
Chlorinated Phenols	ES-80-M-30	Determination of Chlorinated Phenols in Soil and Sediment
Elemental Phosphorus (P ₄)	ES-80-M-24	Determination of Elemental Phosphorus (P ₄) in Soil and Sediment
Phosphate Esters	ES-80-M-5	Determination of Group I Compounds in Sediments
Metals	Ref. 1, 2	Inductively Coupled Plasma (ICP) Method for Trace Element Analysis of Water and Wastes
Arsenic	Ref. 3	Methods for Chemical Analysis of Water and Wastes-Arsenic

All determinations were carried out in strict accordance with these methods, except that the polychlorinated biphenyls, chlorinated benzenes and phosphate esters were measured in extracts from acidified samples to facilitate determination of chlorinated phenols in the same extracts.

The water sample was extracted in accordance with SOP EAN-80-SOP-19, Extraction of Semivolatile Organic Compounds from Water. The levels of polychlorinated biphenyls and phosphorus were determined using the analytical conditions specified in the respective method for soils listed above.

Results

THE RESERVE AND ADDRESS OF THE PARTY OF THE

The analytical results for this study are tabulated in Tables I-VI. Each table contains the results for all of the samples for a specific group of compounds. All results for the soils are in ppm (parts per million or $\mu g/g$). The results for the water sample are in ppb (parts per billion, ng/g). In general, the stated detection limits are the lowest level at which a given measurement was validated. Levels which are apparently real, but which are below the validated detection limit are presented in parentheses.

Quality Assurance

The quality assurance results (i.e., recovery and precision evaluations) for these samples have been compiled along with those of similar samples analyzed concurrently. These results are reported in Special Study ES-80-SS-27, Measurement of Selected Chemicals in Soil from the Dead Creek Site - Quality Assurance.

REFERENCES

- 1. Methods for Chemical Analysis of Waters and Wastes, EPA-600/4-79-020, page: Metals-6, Section 4.1.3.
- 2. Federal Register, Vol. 44, No. 233, December 3, 1979.
- 3. Methods for Chemical Analysis of Waters and Wastes, EPA-600/4-79-020, Method 206-Arsenic, pages: 206.2-1 to 206.5-2.

ANALYTE	ES LOG NO. DATE SAMPLED LOCATION	0100301 10/2/80 40 yds south of Queeny Ave. Center of Creek	0100303 10/2/80 268 paces south of 0100301	0100305 10/2/80 270 paces south of 0100303	(Water) 0100307 10/2/80 Well at Theresa's Greenhouse, 101 Walnut, Sauget,IL.	0041701 4/16/80 Soil Blank Mo. Bottoms St.Charles,MO
	(public where)	13,000 . 10,000 11,000 ND < 1	240 360 180 ND < 1	45 7 <i>3</i> 59 ND < 1	ND < 1 ppb	ND < 1
IEPA	(public rebane)	130,000 5000	32, 00 0 160,000	200 0 93,000		
		10,000	350	73	<1 pp 6	
Total Phro	II Go X	2000	8900	4700	L, ppb	
(blan,	1111087					

TABLE II. PPM LEVELS OF CHLOROBENZENES IN DEAD CREEK SOIL SAMPLES

ES LOG NO. DATE SAMPLED LOCATION ANALYTE	0100301 10/2/80 40 yds south of Queeny Ave. Center of Creek	0100303 10/2/80 268 paces south of 0100301	0100305 10/2/80 270 paces south of 0100303	0041701 4/16/80 Soil Blank Mo. Bottoms St. Charles. MO.
MONOCHLOROBENZENE	(0.9)	ND < 1	(0.3)	ND < 1
P-DICHLOROBENZENE	370	(0.3)	(0.4)	ND < 1
O-DICHLOROBENZENE	80	(0.6)	1.0	ND < 1
TRICHLOROBENZENES (3)	85	1.6	(0.7)	ND < 1
TETRACHLOROBENZENES (3)	6.1	2.4	(0.4)	ND < 1
PENTACHLOROBENZENE	ND < 1	ND < 1	ND < 1	ND < 1
HEXACHLOROBENZENE	ND < 1	1.2	ND < 1	ND < 1
NITROCHLOROBENZENES (0-, P-)	120	ND < 1	ND < 1	ND < 1

^() Values in parentheses are below the validated detection limit. However, they represent levels detected with a S/N >2.5 and can be considered semi-quantitative.

TABLE 111. PPM LEVELS OF CHLOROPHENOLS IN DEAD CREEK SOIL SAMPLES

ES LOG NO. DATE SAMPLED LOCATION ANALYTE	0100301 10/2/80 40 yds south of Queeny Ave. Center of Creek	0100303 10/2/80 268 paces south of 0100301	0100305 10/2/80 270 paces south of 0100303	0041701 4/16/80 Soil Blank Mo. Bottoms St.Charles.MO.
O-CHLOROPHENOL	3.7	ND < 1	ND < 1	ND < 1
P-CHLOROPHENOL	6.6	ND < 1	(0.9)	ND < 1
2,4-DICHLOROPHENOL	1.2	ND < 1	ND < 1	ND < 1
PENTACHLOROPHENOL	130	ND < 1	1.8	ND < 1

^() Values in parentheses are below the validated detection limit. However, they represent levels detected with a S/N >2.5 and can be considered semi-quantitative.

TABLE IV. PPM LEVELS OF PHOSPHATE ESTERS IN DEAD CREEK SOIL SAMPLES

ES LOG NO. DATE SAMPLED LOCATION ANALYTE)	0100301 10/2/80 40 yds south of Queeny Ave. Center of Creek	0100303 10/2/80 268 paces south of 0100301	0100305 10/2/80 270 paces south of 0100303	0041701 4/16/80 Soil Blank Mo. Bottoms St. Charles, MO.
DIBITY! DUCHY!					
DIBUTYLPHENYL PHOSPHATE		330	ND < 1	(8.0)	ND < 1
BUTYLDTPHENYL PHOSPHATE		ND < 1	HD < 1	(0.8)	ND < 1
TRIPHENYL PHOSPHATE		2600	ND < 1	ND < 1	ND < 1
2-ETHYLHEXYLDIPHENYL PHOSPHATE		ND < 1	ND < 1	2,2	ND < 1
ISODECYLDIPHENYL PHOSPHATE		ND < 1	ND < 1	ND < 1	ND < 1
T-BUTYLPHENYLDIPHENYL PHOSPHATE	-	28	ND < 1	ND < 1	NO < 1
DI-T-BUTYLPHENYLDIPHENYL PHOSPHATE	NGK 11	ND < 1	NO < 1	ND < 1	HD < 1
NONYLPHENYLDIPHENYL PHOSPHATE	1111090	. ND < 1	ND < 1	ND < 1	HD < 1
CUMYLPHENYLDIPHENYL PHOSPHATE	J	3,7	ND < 1	ND < 1	ND < 1

^() Values in parentheses are below the validated detection limit. However, they represent levels detected with a S/N >2.5 and can be considered semi-quantitative.

ZINC

	ES LOG NO. DATE SAMPLED LOCATION	0100301 10/2/80 40 yds south of Queeny Ave.	0100303 10/2/80 268 paces south of	0100305 10/2/80 270 paces south of	0041701 4/16/80 Soil Blank Mo. Bottoms
ANALYTE		Center of Creek	0100301	0100303	St.Charles,MO
SILVER		ND <1 ·	42	29	ND ∢ 1
LUMINUM		1400	5100	5300	5600
JAR I UM		770	1200	1300	130
BERYLLIUM		ND < 1	ND < 1	ND < 1	ND < 1
ORON		28	160	100	27
ALCIUM	,	8500	9200	6200	4600
ADMIUM		5.1	60	5 5	3.9
OBALT		· 15	180	120	33
HROMIUM		25	110	240	19
OPPER		460	28,000	18,000	19
RON		4700	53,000	30,000	9900
IAGNESIUM		460	2200	2000	2300
IANGANESE		29	170	110	510
OLYBDENUM		6.1	92	68	11
MULDO		400	540	410	320
IICKEL		110	2000	1700	39
EAD	E G X	180	2000	1600	50
PHOSPHORUS	×	2500	13,000	9400	610
NTIMONY	11	13	240	160	29
ILICON	1111091	73	150	89	110
IN	166	18	260	220	18
TRONTIUM		35	230	110	17
ITANIUM		32	110	80	37
MULDANA		34	140	130	130

32,000

18,000

56

280

TABLE VI. SUMMARY OF PHOSPHORUS CON	RUS CONTENT (PPM) OF DEAD CREEK SOIL SAMPLES	REEK SOIL SAMPLES		ļ
ES LOG NO. DATE SAMPLED LOCATION ANALYTE	0100301 10/2/80 40 yds south of Queeny Ave. Center of Creek	0100303 10/2/80 268 paces south of 0100301	0100305 10/2/80 270 paces south of 0100305	0041701 4/16/80 Soil Blank Mo, Bottoms St,Charles,MO,
P - ELEMENTAL, By GC/MS	ND < 1.	ND < 1	ND < }	ND 4 1
P-INORGANIC, By ICP	2500	13,000	9400	019
TOTAL PHOSPHATE ESTERS, By GC/MS	3000	ND 410	₹	ND < 10
Physheus (whatevet)	35,000	160,000	4 3 000	
they hered (quaticoling) Oly EPA	000'E	000°0E1	32,100	

Submitted by:

Monsanto Industrial Chemicals Company Environmental Sciences Section - NIE 800 North Lindbergh Boulevard St. Louis, Missouri 63166

Prepared by:

Robert G. Kaley, II Research Group Leader

Approved by:

Manager, Environmental Sciences